

Salad Serving Counter with Refrigerated Storage

Technical Data Sheet

Updated: 2026-10-13

A salad counter combining a refrigerated GN well and an undercounter refrigerator for cold storage, preparation and service.



Salad Serving Counter with Refrigerated Storage

Electric

OTXSALADREF140-3

Energy	Electric
DIMENSIONS	1500x700x850
ELECTRICAL POWER (kW)	0.75
VOLTAGE (V)	220
Feature	Altı Buzdolaplı

OTXSALADREF190-4

Energy	Electric
DIMENSIONS	2000x700x850
ELECTRICAL POWER (kW)	0.75
VOLTAGE (V)	220
Feature	Altı Buzdolaplı

OTXSALADREF240-5

Energy	Electric
DIMENSIONS	2500x700x850
ELECTRICAL POWER (kW)	0.75
VOLTAGE (V)	220
Feature	Altı Buzdolaplı

OTXSALADUNI140-3

Energy	Electric
DIMENSIONS	1400x700x850
ELECTRICAL POWER (kW)	0.75
VOLTAGE (V)	220
Feature	Altı With Cabinet

OTXSALADUNI190-4

Energy	Electric
DIMENSIONS	1900x700x850
ELECTRICAL POWER (kW)	0.75
VOLTAGE (V)	220
Feature	Altı With Cabinet

OTXSALADUNI240-5

Energy	Electric
DIMENSIONS	2400x700x850
ELECTRICAL POWER (kW)	0.75
VOLTAGE (V)	220
Feature	Altı With Cabinet

OTXNOTR 70

Energy	Electric
DIMENSIONS	700x700x850
Feature	Nötr Servis Ünitesi

OTXNOTR 90

Energy	Electric
DIMENSIONS	900x700x850
Feature	Nötr Servis Ünitesi

OTXNOTR 120

Energy	Electric
DIMENSIONS	1200x700x850
Feature	Nötr Servis Ünitesi