

Digital Fast-Food Fryer

Technical Data Sheet

Updated: 2026-10-13

Fast-food fryer with programmable digital controls and optional automatic oil filtration.



Digital Fast-Food Fryer

Electric

OTX-7DEFF 4

Energy	Electric
DIMENSIONS	400x750x850 mm
CAPACITY	25 lt
GROSS WEIGHT (kg)	65 kg
PACKING VOLUME (m³)	0.20 m3
ELECTRICAL POWER (kW)	15
VOLTAGE (V)	380

OTX-7DEFF 7

Energy	Electric
DIMENSIONS	800x750x850 mm
CAPACITY	50 lt
GROSS WEIGHT (kg)	85 kg
PACKING VOLUME (m³)	0.50 m3
ELECTRICAL POWER (kW)	2 x 15
VOLTAGE (V)	380

OTX-9DEFF 4

Energy	Electric
DIMENSIONS	400x900x850 mm
CAPACITY	30 lt
GROSS WEIGHT (kg)	65 kg
PACKING VOLUME (m³)	0.20 m3
ELECTRICAL POWER (kW)	20
VOLTAGE (V)	380

OTX-9DEFF 8

Energy	Electric
DIMENSIONS	800x900x850 mm
CAPACITY	60 lt
GROSS WEIGHT (kg)	85 kg
PACKING VOLUME (m³)	0.50 m3
ELECTRICAL POWER (kW)	2 x 20
VOLTAGE (V)	380



Digital Fast-Food Fryer

Gas

OTX-7DGFF 4

Energy	Gas
DIMENSIONS	400x750x850 mm
CAPACITY	30 lt
GROSS WEIGHT (kg)	65 kg
PACKING VOLUME (m³)	0.20 m3
THERMAL POWER (kW)	20 Kw
GAS CONSUMPTION (m³)	2.2 m3

OTX-7DGFF 7

Energy	Gas
DIMENSIONS	800x750x850 mm
CAPACITY	60 lt
GROSS WEIGHT (kg)	85 kg
PACKING VOLUME (m³)	0.50 m3
THERMAL POWER (kW)	2 x 20 Kw
GAS CONSUMPTION (m³)	4.4 m3

OTX-9DGFF 4

Energy	Gas
DIMENSIONS	400x900x850 mm
CAPACITY	40 lt
GROSS WEIGHT (kg)	65 kg
PACKING VOLUME (m³)	0.20 m3
THERMAL POWER (kW)	20 Kw
GAS CONSUMPTION (m³)	2.2 m3

OTX-9DGFF 8

Energy	Gas
DIMENSIONS	800x900x850 mm
CAPACITY	80 lt
GROSS WEIGHT (kg)	85 kg
PACKING VOLUME (m³)	0.50 m3
THERMAL POWER (kW)	2 x 20 Kw
GAS CONSUMPTION (m³)	4.4 m3