

Digital Commercial Fryer

Technical Data Sheet

Updated: 2026-10-13

Commercial fryer with programmable digital controls and optional automatic oil filtration.



Digital Commercial Fryer

Electric

OTX-7DFR 40

Energy	Electric
DIMENSIONS	400x750x850 mm
CAPACITY	25 lt
GROSS WEIGHT (kg)	48 kg
PACKING VOLUME (m³)	0.27 m3
ELECTRICAL POWER (kW)	10 Kw
VOLTAGE (V)	380 V

OTX-7DFR 80

Energy	Electric
DIMENSIONS	800x750x850 mm
CAPACITY	50 lt
GROSS WEIGHT (kg)	88 kg
PACKING VOLUME (m³)	0.47 m3
ELECTRICAL POWER (kW)	2 x 10 Kw
VOLTAGE (V)	380 V

OTX-9DFR 40

Energy	Electric
DIMENSIONS	400x900x850 mm
CAPACITY	30 lt
GROSS WEIGHT (kg)	68 kg
PACKING VOLUME (m³)	0.36 m3
ELECTRICAL POWER (kW)	18 Kw
VOLTAGE (V)	380 V

OTX-9DFR 80

Energy	Electric
DIMENSIONS	800x900x850 mm
CAPACITY	60 lt
GROSS WEIGHT (kg)	115 kg
PACKING VOLUME (m³)	0.72 m3
ELECTRICAL POWER (kW)	2 x 18 Kw
VOLTAGE (V)	380 V



Digital Commercial Fryer

Gas

OTX-7DGFR 4

Energy	Gas
DIMENSIONS	400x750x850 mm
CAPACITY	30 lt
GROSS WEIGHT (kg)	65 kg
PACKING VOLUME (m³)	0.30 m3
THERMAL POWER (kW)	21 Kw
GAS CONSUMPTION (m³)	2.2 m3

OTX-7DGFR 8

Energy	Gas
DIMENSIONS	800x750x850 mm
CAPACITY	60 lt
GROSS WEIGHT (kg)	85 kg
PACKING VOLUME (m³)	0.50 m3
THERMAL POWER (kW)	2 x 21 Kw
GAS CONSUMPTION (m³)	4.4 m3

OTX-9DGFR 4

Energy	Gas
DIMENSIONS	400x900x850 mm
CAPACITY	40 lt
GROSS WEIGHT (kg)	72 kg
PACKING VOLUME (m³)	0.30 m3
THERMAL POWER (kW)	21 Kw
GAS CONSUMPTION (m³)	2.2 m3

OTX-9DGFR 8

Energy	Gas
DIMENSIONS	800x900x850 mm
CAPACITY	80 lt
GROSS WEIGHT (kg)	95 kg
PACKING VOLUME (m³)	0.70 m3
THERMAL POWER (kW)	2 x 21 Kw
GAS CONSUMPTION (m³)	4.4 m3