

Chrome-Plated Griddle

Technical Data Sheet

Updated: 2026-10-13

Commercial griddle with a chrome-plated cooking surface for meat, burgers and other foods.



Chrome-Plated Griddle

Electric

OTX-7IZPEK4

Smooth plate

Energy	Electric
DIMENSIONS	400x750x280 mm
GROSS WEIGHT (kg)	39 kg
PACKING VOLUME (m³)	0.17 m3
ELECTRICAL POWER (kW)	4 Kw
VOLTAGE (V)	380 V

OTX-7IZPEK8

Smooth plate

Energy	Electric
DIMENSIONS	800x750x280 mm
GROSS WEIGHT (kg)	80 kg
PACKING VOLUME (m³)	0.21 m3
ELECTRICAL POWER (kW)	8 Kw
VOLTAGE (V)	380 V

OTX-7IZPEK120

Smooth plate

Energy	Electric
DIMENSIONS	1200x750x280 mm
GROSS WEIGHT (kg)	130 kg
PACKING VOLUME (m³)	0.23 m3
ELECTRICAL POWER (kW)	12 Kw
VOLTAGE (V)	380 V

OTX-9IZPEK4

Smooth plate

Energy	Electric
DIMENSIONS	400x900x280 mm
GROSS WEIGHT (kg)	70 kg
PACKING VOLUME (m³)	0.45 m3
ELECTRICAL POWER (kW)	6 Kw
VOLTAGE (V)	380 V

OTX-9IZPEK8

Smooth plate

Energy	Electric
DIMENSIONS	800x900x280 mm
GROSS WEIGHT (kg)	98 kg
PACKING VOLUME (m³)	0.49 m3
ELECTRICAL POWER (kW)	10 Kw
VOLTAGE (V)	380 V

OTX-9IZPEK12

Smooth plate

Energy	Electric
DIMENSIONS	1200x900x280 mm
GROSS WEIGHT (kg)	130 kg
PACKING VOLUME (m³)	0.77 m3
ELECTRICAL POWER (kW)	16 Kw
VOLTAGE (V)	380 V

OTX-7IZPEK10

Energy	Electric
DIMENSIONS	1000x750x280 mm
GROSS WEIGHT (kg)	105 kg
PACKING VOLUME (m³)	0.22 m3
ELECTRICAL POWER (kW)	10 Kw
VOLTAGE (V)	380V

OTX-9IZPEK100

Energy	Electric
DIMENSIONS	1000x900x280 mm
GROSS WEIGHT (kg)	115 kg
PACKING VOLUME (m³)	0.62 m3
ELECTRICAL POWER (kW)	18 Kw
VOLTAGE (V)	380V

OTX-7IZPEK140

Energy	Electric
DIMENSIONS	1400x750x280 mm
GROSS WEIGHT (kg)	155 kg
PACKING VOLUME (m³)	0.25 m3
ELECTRICAL POWER (kW)	14 Kw
VOLTAGE (V)	380 V

OTX-9IZPEK140

Energy	Electric
DIMENSIONS	1400x900x280 mm
GROSS WEIGHT (kg)	145 kg
PACKING VOLUME (m³)	0.86 m3
ELECTRICAL POWER (kW)	24 Kw
VOLTAGE (V)	380 V



Chrome-Plated Griddle

Gas

OTX-7IZPGK4

Smooth plate

Energy	Gas
DIMENSIONS	400x750x280 mm
GROSS WEIGHT (kg)	39 kg
PACKING VOLUME (m³)	0.17 m3
THERMAL POWER (kW)	7 Kw
GAS CONSUMPTION (m³)	0.74 m3

OTX-7IZPGK8

Smooth plate

Energy	Gas
DIMENSIONS	800x750x280 mm
GROSS WEIGHT (kg)	80 kg
PACKING VOLUME (m³)	0.21 m3
THERMAL POWER (kW)	14 Kw
GAS CONSUMPTION (m³)	1.48 m3

OTX-7IZPGK12

Smooth plate

Energy	Gas
DIMENSIONS	1200x750x280 mm
GROSS WEIGHT (kg)	130 kg
PACKING VOLUME (m³)	0.23 m3
THERMAL POWER (kW)	21 Kw
GAS CONSUMPTION (m³)	2.2 m3

OTX-9IZPGK4

Smooth plate

Energy	Gas
DIMENSIONS	400x900x850 mm
GROSS WEIGHT (kg)	70 kg
PACKING VOLUME (m³)	0.45 m3
THERMAL POWER (kW)	7 Kw
GAS CONSUMPTION (m³)	0.74 m3

OTX-9IZPGK8

Smooth plate

Energy	Gas
DIMENSIONS	800x900x280 mm
GROSS WEIGHT (kg)	98 kg
PACKING VOLUME (m³)	0.49 m3
THERMAL POWER (kW)	14 Kw
GAS CONSUMPTION (m³)	1.48 m3

OTX-9IZPGK12

Smooth plate

Energy	Gas
DIMENSIONS	1200x900x280 mm
GROSS WEIGHT (kg)	130 kg
PACKING VOLUME (m³)	0.77 m3
THERMAL POWER (kW)	21 Kw
GAS CONSUMPTION (m³)	2.2 m3

OTX-7IZPGK10

Energy	Gas
DIMENSIONS	1000x750x280 mm
GROSS WEIGHT (kg)	105 kg
PACKING VOLUME (m³)	0.22 m3
THERMAL POWER (kW)	17 Kw
GAS CONSUMPTION (m³)	1.70 m3

OTX-7IZPGK14

Energy	Gas
DIMENSIONS	1400x750x280 mm
GROSS WEIGHT (kg)	155 kg
PACKING VOLUME (m³)	0.25 m3
THERMAL POWER (kW)	25 Kw
GAS CONSUMPTION (m³)	2.20 m3

OTX-9IZPGK10

Energy	Gas
DIMENSIONS	1000x900x280 mm
GROSS WEIGHT (kg)	115 kg
PACKING VOLUME (m³)	0.62 m3
THERMAL POWER (kW)	17 Kw
GAS CONSUMPTION (m³)	1.70 m3

OTX-9IZPGK14

Energy	Gas
DIMENSIONS	1400x900x280 mm
GROSS WEIGHT (kg)	145 kg
PACKING VOLUME (m³)	0.86 m3
THERMAL POWER (kW)	25 Kw
GAS CONSUMPTION (m³)	2.50 m3